EUREKA FORBES
Your friend for life

PAANI KA DOCTOR®

Dr. Aquaguard

ETERNITI WITH FIREWALL™

WITH ADVANCED MINERAL GUARD TECHNOLOGY

Only Dr. Aquaguard, with the advanced Mineralguard Technology, removes dangerous new age contaminants like lead, pesticides while retaining essential natural minerals.

FIREWALL INDIA'S 1st AND ONLY WATER PURIFIER WITH

More than shudh. **HEALTHY WATER.**

USER MANUAL

CONTENTS

Why Dr. Aquaguard is just the right purifier for you?....2

Drink more than shudh, healthy water 3

Welcome to the power of Dr. Aquaguard Eterniti UV....4

Know your Dr. Aquaguard Eterniti....5

iWhat makes your Dr. Aquaguard Eterniti so special ?....6

Here's how your Dr. Aquaguard Eterniti works 8

Installing your Dr. Aquaguard Eterniti 10

Maintaining your Dr. Aquaguard Eterniti 11

The Dr. Aquaguard advantage 12

Technical Specifications 13

Warranty Terms and Conditions 14

WHY Dr. AQUAGUARD IS JUST THE RIGHT PURIFIER FOR YOU

Dr. Aquaguard, the water expert, is as qualified as a doctor when it comes to prescribing a water purification solution, and as a man who knows what water means to life.

Every water purifier that Dr. Aquaguard prescribes, such as the one you have, is prescribed after rigorous analysis of a water type and accurate diagnosis of its condition. Your water purifier is not just any water purifier. It is a customized purification solution that's designed to deliver you the more than shudh, healthy water to protect your family's health. And with Dr. Aquaguard by your side, you can be sure of it.

DRINK MORE THAN SHUDH, HEALTHY WATER

Drinking water is essential for health. And that is precisely why it is crucial to ensure that the water you drink is healthy. Not just pure, or safe. Healthy water is water that has all the minerals it naturally contains intact in it. Minerals like Calcium, Sodium, Potassium, Magnesium, Iron, Zinc and others are essential for healthy growth. Other water purifiers remove these nutrients while purifying water, robbing it of its various health benefits. Only Dr. Aquaguard with its advanced Mineralguard technology retains these nutrients, delivering the healthiest water on earth. Its Firewall Technology gives protection against contamination up to point of dispense. A special blue UV ray forms a protective wall around the water, preventing contamination from airborne bacteria.

WELCOME TO THE

POWER OF Dr. AQUAGUARD ETERNITI UV

Dr. Aquaguard Eterniti is a stylish addition to your modern kitchen, its technologically advanced firewall purifiers your drinking water and makes it 99.9999% bacteria-free. Furthermore, the revolutionary Firewall even acts as a barrier and prevents contamination from outside.

Only Dr. Aquaguard Eterniti has advanced Mineralguard technology that removes heavy metals, lead, pesticides and new age contaminants, while retaining essential minerals.

Its Firewall Technology gives protection against contamination, up to point of dispense. A special blue UV ray forms a protective wall around the water, preventing contamination from airborne bacteria.

KNOW YOUR Dr. AQUAGUARD ETERNITI

Step-by-step guide to more than shudh, healthy water

Fit plug into socket. To switch on the unit, press the 'Power' (⚡) Switch. Switch panel display will glow with a white light for 6 seconds, indicating that power is on.

After 6 seconds, a blue light will glow steadily and the white light will start blinking. Blinking will continue for 24 seconds, indicating that the unit is processing water.

Thereafter, blinking will stop and white light will glow solid while the blue light will go off. When this happens, you'll hear three beeps indicating that the unit is ready to dispense clear and safe drinking water.

To let the water flow, press the 'Flow' (💧) switch. Water flow is accompanied by a musical chime. You can opt to stop or start the musical chime by pressing the 'Music' (♪) switch.

If the unit has not been used for a day or two, allow 2-3 glasses of water to flow out before using the water.

If the unit is not going to be used for more than 3-4 hours, remember to shut off the main switch and the water supply.

WHAT MAKES YOUR

Dr. AQUAGUARD ETERNITI SO SPECIAL?

FIREWALL PROTECTION GUARANTEED *

Protects against contamination from Nozzle to Glass. A special blue UV ray forms a protective wall around the water, preventing contamination from airborne bacteria.

POINT OF DISPENSE PURIFICATION

The spiral Quartz glass tube of Dr. Aquaguard Eterniti ensures the longest and the most powerful UV dosage, to give you pure, safe and healthy water, always!

INTELLIGENT AUTO FILL SYSTEM **

Helps you get exactly the amount of water you require with options ranging from free flow to bottle or customized settings, as per your requirement.

FIREWALL - CERTIFIED AND APPROVED

99.9999% pure according to over 5,000 physical tests by many national and international independent laboratories of repute.

INTELLIGENT PURITY SENSOR (IPS)

Continuously scans water to give you either absolutely pure water, or no water that stays healthy always.

* The blue light was tested under CE standard household and similar electrical appliances -safety-Part2-109-Particular requirements for UV radiation water treatment appliances

** Quantity depends on input water pressure



KNOW YOUR Dr. AQUAGUARD ETERNITI

Intelligent Auto-fill system

Free Flow mode: When you opt for free flow, by pressing the 'free flow' switch, the display continues to glow with a white solid light ,while water flow is accompanied by a musical chime. You can opt either stop or start the musical chime, by pressing the Music switch.

Fixed Dispense mode: When you opt for this mode, by pressing the 'bottle' switch, the display continues to glow with a white solid light and water flow is accompanied by a musical chime. You can opt either stop or start the musical chime, by pressing the Music switch.

Custom Flow mode: You can opt for this mode by pressing the Music switch for 5 seconds, the first time you want the water to start. Press the same Music switch when you want the water to stop. The quantity of water will get registered in the system. So the next time you need the same amount of water, just press the Music switch and the same pre-registered quantity of water will flow out. During this period the display continues to glow with a white solid light and water flow is accompanied by a musical chime, till the programmed time limit.

HERE'S HOW YOUR

Dr. AQUAGUARD ETERNITI WORKS



NOTE : THIS IS A SCHEMATIC ILLUSTRATION OF THE PRODUCT TO GIVE A VISUAL SCHEME OF WORKING OF UNITS.
THIS IS NOT AN ACTUAL ENGINEERING DRAWING OF THE PRODUCT.

PURIFICATION PROCESS IN Dr. AQUAGUARD ETERNITI

Stage	Treatment	Material	Benefits
1.	Clarity Cartridge	Multi-layered Polypropylene roving wounded cartridge	Removes fine suspended particles such as dust, dirt, mud and sand from water.
2.	HCCB Cartridge™ (Hybrid Carbon Chemi Block)	Special anti-bacterial carbon block with US Patented pesticide removal silver Nano technology and Heavy metal removal media	Removes excess chlorine, bad odour, colour and organic impurities. It also removes new age contaminants like heavy metals like Lead, Arsenic, Mercury, Chromium and pesticides making water safe from harmful chemical contaminants
3.	Mineral Guard	Microcontroller-based electronic impulse producer	Electronic impulses are produced to prevent scaling on QG glass.
4.	Firewall UV Lamp	Germicidal UV Lamp	UV disinfects the water by eliminating waterborne disease-causing bacteria, viruses and protozoa, thereby making it safe to drink.

INSTALLING YOUR
Dr. AQUAGUARD ETERNITI

Make sure that your Dr. Aquaguard Eterniti is installed by a trained Eureka Forbes Service Technician only.

1. Input water must be tested for Total Dissolved Solids (TDS) and Total Hardness.
2. Install your Dr. Aquaguard Eterniti in a dry, ventilated place.
   - Keep it away from direct sunlight, heating devices or areas below freezing temperatures.
   - You can keep it on the kitchen counter or wall mount it.
3. Ensure that the input tap water temperature is in the range of 10˚C - 40˚C.
   - Avoid installation to a hot/cold water tap as it can damage the filters.
4. Make sure that the tap water pressure is between 0.4 and 2.0 kg/cm^2. If the input water pressure is more than 2.0 kg/cm^2, installation of a PRV* (Pressure Reducing Valve) is mandatory.
5. Flush filters thoroughly and independently with 10 litres of water, to remove fine particles present in the filter. This should be done before the installation of the unit.
6. The anti-drip SV working pressure is rated maximum at 4.0 kg/cm^2. Beyond this it will not open, hence it acts as a double protection for assuring absolutely safe and healthy water.

Input Water Quality Usage Limitations:

1. If the input water iron content is more than 0.3 mg/lit; use of an iron remover* is recommended as a pre-treatment.
2. If the input water turbidity is more than 10 NTU or comprises colloidal particles, use of a special filter* is required as a pre-filter.
3. Do not install the water purifier if the TDS is more than that prescribed in the technical specifications.

*Available at an extra cost.



MAINTAINING YOUR
Dr. AQUAGUARD ETERNITI

- After installation discard the first 10 litres of the water from the water purifier
- Ensure that the replacement of the consumable Cartridges are done by a trained Eureka Forbes Service Technician after approximately 6,000 litres of water usage or if choked

QG cleaning Process#

Open the Carbon block lid and remove block. Drop one or two pouches of Citric Acid crystals or liquid and close the filter. Run the machine till water output of the machine has a citric acid taste. Immediately switch off unit. The QG tube will have citric acid solutions. The solution is kept standing in the QG tube for around 10-15 min (approximately). After 10-15 minutes switch on the unit and flush out a few litres of water. After finishing the cleaning process, insert the carbon block back.

Consumable Cartridges	Average Service Life
Clarity Cartridge	6,000 litres
HCCB Cartridge	6,000 litres
UV Lamp	5,000 burning hrs

QG Cleaning Process to be carried out by an authorised Eureka Forbes service technician.

THE Dr. AQUAGUARD ADVANTAGE

Trust of over 100 lakh mothers

Owned by over 1.62 lakh doctors

Service within 5 km range of wherever you are

Over 17 different technologies to address 17 different water conditions across the country

Certified by over 130 leading national and international laboratories

Sold in over 35 countries worldwide

Endorsed by the Indian Medical Academy

TECHNICAL SPECIFICATIONS*

1.	Unit Dimension (wxdxh) in mm	310 x 238 x 435
2.	Net Weight (unit + plumbing kit)	5.88 Kgs
3.	Flow Rate	2 Litres/Minute (max.) (depends on input water pressure and condition of the filters)
4.	Input Voltage	230 V AC/50 Hz
5.	Power Rating	25 -30 Watts (Max)
6.	Input water temperature	10˚C to 40˚C
7.	Input Water Pressure (Minimum)	0.4 Kg / cm^2
8.	Input Water Pressure (Maximum)	2.0 Kg / cm^2 (If the pressure is more, use of PRV is mandatory)**
9.	Input Water Turbidity	10 NTU Max
10.	Input Water Iron	0.3 ppm Max
11.	Input Water Chlorine	2 ppm max
12.	Stage 1	Clarity Cartridge
13.	Stage 2	HCCB Cartridge
14.	Stage 3	Mineral Guard
15.	Stage 4	Firewall UV lamp
17.	Solenoid Valve (Anti-drip)	12 V DC, Max. Operating Pressure 4.0 Kg/cm^2
18.	Recommended TDS Level	500 mg / Litre (Max.)

Note: The performance data presented in the table is applicable under standard laboratory conditions. Actual performance may vary depending on the input water quality, water pressure and condition of filters.

* Technical Specifications are subject to change without prior notice.

** If the pressure is higher than the maximum specified, use of the pressure reducing valve is recommended. The above accessory is available with our company at an additional cost.

Warranty Terms and Conditions

The goods are warranted against defects arising from faulty designs, workmanship and materials 12 months from the date of installation or 15 months from the date of sale, whichever is earlier, subject to the following conditions:

1. The Customer will notify the Company, in writing, promptly of any defects noticed and give the Company or its authorized agent adequate opportunity to inspect, test and remedy them for which the Customer will deposit the goods, if so required by the Company, with the Company's Office/Service Centre along with the original invoice, in the city where they are sold.
2. The Inspection and Test Report of the Company's Office/Service Centre will be final and binding under the Warranty for determining defects, repairs/alterations required or carried out or certifying work of the goods thereafter.
3. Dr. Aquaguard may require initial setting post-installation, depending on varying water conditions and power supply. In case of any service requirement, post-installation, please contact the Company's Service Centre.
4. The Company or its authorized agent will be entitled to retain any defective part replaced under the Warranty.
5. Notwithstanding anything to the contrary contained or implied by this Warranty:
   a. The Company's liability under this Warranty shall be limited to the first sale of the goods by the Company to the Customer and will not apply or extend to any secondary sale of goods by the Customer.
   b. The Company's liability under this Warranty shall be limited only to defects in the goods which occur under the conditions of normal operation of the goods and their proper and prescribed use. The Warranty does not cover or extend to defects which are determined by the Company or its authorized agents as occurring or resulting from or attributable to negligence, abuse, misuse, faulty care, operation or maintenance or repairs, alterations to the goods or any part thereof by others or the use of the goods on electrical supply for which they are not designed, or damage caused by lightning or other electrical disturbances or interruptions.
   c. The Company's liability under this Warranty shall remain valid only if the goods are duly installed by the Company or its authorized Agency at the location specified in the Invoice and such installation is undertaken by the Company or its authorized agent or franchisee.
   d. Consumable items like the Clarity cartridge and Chemi-block that are subject to normal wear and tear are not covered by this Warranty.
   e. The Customer will have no claim against the Company, its employees and its authorized agents or franchisees under or pursuant to this Warranty in respect of death or injury to the Customer or any other person or loss or damage to any property caused by or due to equipment failure, breakdown or accident, fire or operation or utilization of the goods otherwise than in accordance with the User Guide or by or due to any other cause or circumstances beyond the control of the Company.
   f. The Company's liability, under this Warranty, shall in no event and under no circumstances exceed the price paid by the Customer to the Company for the goods stated in the Invoice.

General

For the purpose of this Warranty, the following expressions shall have the following meanings respectively;

1. 'The Goods' shall mean the goods described in the Order Form.
2. 'The Customer' shall mean the original purchaser of the Goods from the Company.
3. 'The Company' shall mean `EUREKA FORBES LIMITED'.
4. 'General Terms and Conditions' shall mean the terms and conditions agreed upon by the Customer and the Company printed on the Order Form.
5. 'Invoice' shall mean the invoice issued by the Company to the Customer describing the goods and indicating, inter alia, the total purchase price thereof and name of the Customer.
6. 'User Guide' shall mean the instructions for installation, use and maintenance contained in the leaflet supplied by the Company.

Post-warranty

1. The Customer may be offered a yearly Service Contract at the prevailing Company rates and terms.
2. In case the Customer does not wish to enter the Service Contract, he has the option of calling the Company's Service Centre and having his Dr. Aquaguard serviced on an actual basis i.e. by paying the Labour cost and Spares needed to attend to that Service/Complaint Call at the prevailing Company rates. Such service will be rendered by the Company in towns/places where the Company has its Service Centres.
3. The Company will provide free servicing of the goods brought to its Service Centre by the Customer, provided that all expenses of transporting the goods to and from the Service Centre shall be borne by the Customer directly.
4. If during such servicing it is necessary for the Company to replace or repair defective components or parts, the Customer shall be required to pay for the same as per the Company's prevailing price list.
5. Eureka Forbes Limited reserves the right to offer Annual Maintenance Contract/ensure availability of spares only up to 7 years from the date of Invoice.

09339883333 | SMS 'AG<PINCODE>' to 566775 | Now buy online on www.eurekaforbes.com www.facebook.com/EurekaForbes www.twitter.com/EurekaForbes. • Email: customercare@eurekaforbes.com

Eureka Forbes Limited: B1/B2, 701, 7th Floor, Marathon Innova Marathon NextGen, Off Ganpatrao Kadam Marg, Lower Parel, Mumbai - 400 013, India. Tel: +91 22 3044 9700, 3044 9888 • Fax: +91 22 3044 9701

Environment Protection:

"PROTECTION" has always been our motto and guiding principle. We care for the environment. The product packaging has been made of recyclable, environment-friendly material. We urge you to recycle the packaging material or take it to the nearest recycling facility rather than dispose of it with the rest of your waste.

Your appliance has been designed to work for many years, however, should you wish to upgrade or replace your old product, remember to help protect the environment by disposing of it at your local e-waste disposal centre. Should you have queries, the nearest authorized service centre of Eureka Forbes will be able to guide you.

Allow us to become your environmental partner; together we can make the world a cleaner place.